


OFFICE 2019 PROFESSIONAL PACKAGE

In this post, I will show you how to create and deploy Office 2019 Professional to workstations from CB1810. For this exercise, I created a device collection called Office 2019 and includes Win 10 workstation and other Windows 2019 servers as well.



Download Office Deployment Toolkit from here - <https://www.microsoft.com/en-us/download/details.aspx?id=49117>

If you're still confused about the differences about Office 2019 vs Office 365:

Office 365 is a subscription that comes with premium apps like Word, Excel, PowerPoint, OneNote, Outlook, Publisher, and Access (Publisher and Access available on PC only). The apps can be installed on multiple devices, including PCs, Macs, iPads, iPhones, Android tablets, and Android phones. With a subscription, you get the latest versions of the apps and automatically receive updates when they happen.




Office 2019 is a one-time purchase that comes with classic apps like Word, Excel, and PowerPoint for PC or Mac, and does not include any of the services that come with an Office 365 subscription. One-time purchases don't have an upgrade option, which means if you plan to upgrade to the next major release, you'll have to buy it at full price.

So, if your organization has chosen to deploy Office 2019, you can deploy it using SCCM. The main steps are:

- Preparing the installation
- Create the SCCM application
- Create the deployment type
- Deploy the application

Now, I will run ODT.

CB > Downloads

Name	Size	Date modified	Type
 MDT x64 Build 8450.msi	20,044 KB	21-Dec-2017 10:16...	Windows Installer ...
 Recast RCT-3.2.6887.24316-131862443166228568.msi	28,716 KB	19-Jan-2019 7:34 P...	Windows Installer ...
 officedeploymenttool 11306-33602.exe	2,723 KB	19-Jan-2019 8:54 P...	Application

The Microsoft Office 2016 Click-to-Run Administrator Tool

You must accept the Microsoft Software License Terms in order to continue the installation.

MICROSOFT SOFTWARE LICENSE TERMS
MICROSOFT OFFICE DEPLOYMENT TOOL 2016

These license terms are an agreement between Microsoft Corporation (or based on where you live, one of its affiliates) and you. Please read them. They apply to the software named above, which includes the media on which you received it, if any. The terms also apply to any Microsoft

- updates,
- supplements,
- Internet-based services, and
- support services

for this software, unless other terms accompany those items. If so, those terms apply.

BY USING THE SOFTWARE, YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THEM, DO NOT USE THE SOFTWARE.

IF YOU COMPLY WITH THESE LICENSE TERMS, YOU HAVE THE PERPETUAL RIGHTS BELOW.

1. INSTALLATION AND USE RIGHTS. You may install and use any number of copies of the software on your devices.

2. SCOPE OF LICENSE. The software is licensed, not sold. This agreement only gives you some rights to use the software. Microsoft reserves all other rights. Unless applicable law gives you more rights despite this limitation, you may use the software only as expressly permitted in this agreement. In doing so, you must comply with any technical limitations in the software that only allow you to use it in certain ways. You may not


- work around any technical limitations in the software;
- reverse engineer, decompile or disassemble the software, except and only to the extent that applicable law expressly permits, despite this limitation;

☒ Click here to accept the Microsoft Software License Terms.

Continue

Browse For Folder

Select a folder to store the extracted files



Make New Folder

OK

Cancel

The Microsoft Office 2016 Click-to-Run Administrator Tool

Files extracted successfully.

OK

I created a new config.xml file with the following.

```
<Configuration>
<Add OfficeClientEdition="64" Channel="PerpetualVL2019" >
<Product ID="ProPlus2019Volume" PIDKEY="NMMKJ-6RK4F-KMJVX-8D9MJ-6MWKP">
<Language ID="en-us" />
</Product>
<Product ID="ProjectPro2019Volume" PIDKEY="B4NPR-3FKK7-T2MBV-FRQ4W-PKD2B">
<Language ID="en-us" />
</Product>
<Product ID="VisioPro2019Volume" PIDKEY="9BGNQ-K37YR-RQHF2-38RQ3-7VCBB">
<Language ID="en-us" />
</Product>
</Add>
</Configuration>
```

Then opened command prompt and ran this

```
Administrator: Command Prompt

C:\Sources\Windows Application\Office 2019>dir
Volume in drive C is OS
Volume Serial Number is B8CB-287E

Directory of C:\Sources\Windows Application\Office 2019

19-Jan-2019  09:15 PM    <DIR>          .
19-Jan-2019  09:15 PM    <DIR>          ..
19-Jan-2019  09:15 PM                434 config.xml
06-Jan-2019  09:00 PM            1,164 configuration-Office2019Enterprise.xml
06-Jan-2019  09:00 PM            1,014 configuration-Office365-x64.xml
06-Jan-2019  09:00 PM            1,014 configuration-Office365-x86.xml
06-Jan-2019  09:00 PM          5,189,520 setup.exe
                    5,193,146 bytes
                2 Dir(s)  903,217,795,072 bytes free

C:\Sources\Windows Application\Office 2019>Setup.exe /download config.xml
```

Wait for the download to complete. It might take a while since the file size is big (3GB). Once the download is done you will see various sub folder and files.

```
Administrator: Command Prompt







C:\Sources\Windows Application\Office 2019>dir
Volume in drive C is OS
Volume Serial Number is B8CB-287E

Directory of C:\Sources\Windows Application\Office 2019


19-Jan-2019  09:15 PM    <DIR>          .
19-Jan-2019  09:15 PM    <DIR>          ..
19-Jan-2019  09:15 PM                434 config.xml
06-Jan-2019  09:00 PM            1,164 configuration-Office2019Enterprise.xml
06-Jan-2019  09:00 PM            1,014 configuration-Office365-x64.xml
06-Jan-2019  09:00 PM            1,014 configuration-Office365-x86.xml
06-Jan-2019  09:00 PM          5,189,520 setup.exe
                    5,193,146 bytes
                2 Dir(s)  903,217,795,072 bytes free

C:\Sources\Windows Application\Office 2019>Setup.exe /download config.xml
C:\Sources\Windows Application\Office 2019>
```

CB > OS (C:) > Sources > Windows Application > Office 2019 > Office > Data > 16.0.10340.20017 >

Name	Date modified	Type	Size
 i640.cab	19-Jan-2019 9:23 P...	Cabinet File	26,074 KB
 i641033.cab	19-Jan-2019 9:18 P...	Cabinet File	74 KB
 s640.cab	19-Jan-2019 9:24 P...	Cabinet File	2,829 KB
 s641033.cab	19-Jan-2019 9:18 P...	Cabinet File	607 KB
 stream.x64.en-us.dat	19-Jan-2019 9:23 P...	DAT File	242,506 KB
 stream.x64.x-none.dat	19-Jan-2019 9:52 P...	DAT File	1,660,657 KB

Now we can create application package as detailed below:



Create Application Wizard [Close]

General

General

Specify settings for this application

Applications contain software that you can deploy to users and devices in your Configuration Manager environment. Applications can contain multiple deployment types that customize the installation behavior of the application.

☐ Automatically detect information about this application from installation files:

Type: Windows Installer (*.msi file) [v]

Location: [Text Box] [Browse...]

Example: \\Server\Share\File

☒ Manually specify the application information

< Previous **Next >** Summary Cancel



General Information

General

General Information

Application Catalog

Deployment Types

Summary

Progress

Completion

Specify information about this application

Name:

Administrator comments:

Publisher: Software version:

Optional reference:

Administrative categories:

☐ Date published:

Specify the administrative users who are responsible for this application.

Owners:

Support contacts:

< Previous

Next >

Summary

Cancel



Application Catalog

General

General Information

Application Catalog

Deployment Types

Summary

Progress

Completion

Specify the Configuration Manager Application Catalog entry

Specify information about how you want to display this application to users when they browse the Application Catalog. To provide information in a specific language, select the language before you enter a description.

Selected language:

Localized application name:

User categories:


User documentation:

Link text:

Privacy URL:

Localized description:

Keywords:

Icon: 

☐ Display this as a featured app and highlight it in the company portal

< Previous

Next >

Summary

Cancel

Create Application Wizard

Deployment Types

General

General Information

Application Catalog

Deployment Types

Summary

Progress

Completion

Configure deployment types and the priority in which they will be applied for this application

Deployment types include information about the installation method and the source files for this application.

Deployment types:

Increase Priority

Decrease Priority

Filter...

Priority	Name	Type	Languages
There are no items to show in this view.			

Add...

Edit...

Copy

Delete

< Previous

Next >

Summary

Cancel

Create Deployment Type Wizard

General

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify settings for this deployment type

Deployment types include information about the installation method and source files for this application.

Type:

Script Installer

Automatically identify information about this deployment type from installation files

Location:

Example: \\Server\Share\File

Browse...

Manually specify the deployment type information

< Previous

Next >

Summary

Cancel



General Information

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify general information for this deployment type

Applications can have any number of deployment types. Deployment types include links to content and settings that specify how the content is delivered.

Name: Office 2019 Pro

Administrator comments:

Languages: English (United States)

Select...

< Previous

Next >

Summary

Cancel



Content

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify information about the content to be delivered to target devices

Specify the location of the deployment type's content and other settings that control how content is delivered to target devices. All the contents in the path specified will be delivered.

Content location: \\cb\Sources\Windows\Application\Office 2019

Browse...

☐ Persist content in the client cache

Specify the command used to install this content.

Installation program: setup.exe /configure config.xml

Browse...

Installation start in:

Configuration Manager can remove installations of this content if an uninstall program is specified below.

Uninstall program:

Browse...

Uninstall start in:

☐ Run installation and uninstall program as 32-bit process on 64-bit clients.

< Previous

Next >

Summary

Cancel

Create Deployment Type Wizard

Detection Method

General
General Information
Content
Detection Method
User Experience
Requirements
Dependencies
Summary
Progress
Completion

Specify how this deployment type is detected

Specify how Configuration Manager determines whether this deployment type is already present on a device. This detection occurs before the content is installed or when software inventory data is collected.

☒ Configure rules to detect the presence of this deployment type:

Connector	Clause

Add Clause...
Edit Clause...
Delete Clause

☐ Use a custom script to detect the presence of this deployment type:

Script type:
Script length:

Group
Ungroup
Edit...

< Previous Next > Summary Cancel

Setting Type – Registry

Hive – HKEY_LOCAL_MACHINE

Key – SOFTWARE\Microsoft\Office\ClickToRun\Configuration

Check Use (Default) registry key value for detection

Check This registry key is associated with a 32-bit application on 64-bit systems

Data Type – String

Select This registry setting must exist on the target system to indicate the presence of this application

Detection Rule

Create a rule that indicates the presence of this application.

Setting Type: Registry

Specify the registry key or value to detect this application.

Hive: HKEY_LOCAL_MACHINE

Key: SOFTWARE\Microsoft\Office\ClickToRun\Configuration

Value:

☒ Use (Default) registry key value for detection

☒ This registry key is associated with a 32-bit application on 64-bit systems

Data Type: Version

☒ This registry setting must exist on the target system to indicate presence of this application

☐ This registry setting must satisfy the following rule to indicate the presence of this application

Operator: Equals

Value:

OK Cancel



Detection Method

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify how this deployment type is detected

Specify how Configuration Manager determines whether this deployment type is already present on a device. This detection occurs before the content is installed or when software inventory data is collected.

☒ Configure rules to detect the presence of this deployment type:

	Connector	(Clause)
▶			LocalMachine\SOFTWARE\Microsoft\Office\Click...	

Add Clause...

Edit Clause...

Delete Clause

Group

Ungroup

☐ Use a custom script to detect the presence of this deployment type:

Script type:

Script length:

Edit...

< Previous

Next >

Summary

Cancel



User Experience

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify user experience settings for the application

Installation behavior:

Install for system

Logon requirement:

Only when a user is logged on

Installation program visibility:

Normal

☐ Allow users to view and interact with the program installation

Specify the maximum run time and estimated installation time of the deployment program for this application. The estimated installation time displays to the user when the application installs.

Maximum allowed run time (minutes):

120

Estimated installation time (minutes):

30

< Previous

Next >

Summary

Cancel



Requirements

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify installation requirements for this deployment type

Specify any requirements, such as hardware features or the operating system version, that devices must have before they can install this deployment type. Configuration Manager verifies that these requirements are met before content is deployed to the device.

Requirements:

Filter...		
Requirement Type	Operator	Values
There are no items to show in this view.		

Add...

Edit...

Delete

< Previous

Next >

Summary

Cancel



Dependencies

General

General Information

Content

Detection Method

User Experience

Requirements

Dependencies

Summary

Progress

Completion

Specify software dependencies for this deployment type

Software dependencies are deployment types that must be installed before this deployment type can be installed.

Software dependencies:

	Name	Application	Deployment Type	Automatically Install

Add...

Edit...

Delete

< Previous

Next >

Summary

Cancel



Summary

General

- General Information
- Content
- Detection Method
- User Experience
- Requirements
- Dependencies

Summary

- Progress
- Completion

Confirm the settings for this deployment type

Details:

- General Information:
- Name: Office 2019 Pro
 - Technology: Script Installer
 - Administrator comments:
 - Languages: English (United States)
- Content:
- Content location: \\cb\\Sources\\Windows Application\\Office 2019
 - Persist in client cache: No
 - Installation program: setup.exe /configure config.xml
 - Installation start in:
- Detection Method:
- User Experience:
- Installation behavior: Install for system
 - Login requirement: Only when a user is logged on
 - Installation priority: Normal
 - Allow users to interact with this program: No
 - Maximum allowed run time (minutes): 120
 - Estimated install time (minutes): 30
- Requirements:
- Dependencies:

To change these settings, click Previous. To apply the settings, click Next.

< Previous

Next >

Summary

Cancel



Completion

General

- General Information
- Content
- Detection Method
- User Experience
- Requirements
- Dependencies

Summary

Progress

Completion



The Create Deployment Type Wizard completed successfully

Details:

- ✓ Success: General Information:
- Name: Office 2019 Pro
 - Technology: Script Installer
 - Administrator comments:
 - Languages: English (United States)
- ✓ Success: Content:
- Content location: \\cb\\Sources\\Windows Application\\Office 2019
 - Persist in client cache: No
 - Installation program: setup.exe /configure config.xml
 - Installation start in:
- ✓ Success: Detection Method:
- ✓ Success: User Experience:
- Installation behavior: Install for system
 - Login requirement: Only when a user is logged on
 - Installation priority: Normal
 - Allow users to interact with this program: No
 - Maximum allowed run time (minutes): 120
 - Estimated install time (minutes): 30
- ✓ Success: Requirements:
- ✓ Success: Dependencies:

To exit the wizard, click Close.

< Previous

Next >

Summary

Close



Deployment Types

General

General Information

Application Catalog

Deployment Types

Summary

Progress

Completion

Configure deployment types and the priority in which they will be applied for this application

Deployment types include information about the installation method and the source files for this application.

Deployment types:

Increase Priority

Decrease Priority

Filter...

Priority	Name	Type	Languages
1	Office 2019 Pro	Script	English (United States)

Add...

Edit...

Copy

Delete

< Previous

Next >

Summary

Cancel



Summary

General

General Information

Application Catalog

Deployment Types

Summary

Progress

Completion

Confirm the settings for this application

Details:

- General Information:
- Application name: Office 2019 Professional
 - Administrator comments:
 - Publisher: Microsoft
 - Software version: 2019
 - Optional reference:
- Categories:
- Apps
- Owners:
- Administrator
- Support contacts:
- Administrator
- Application Catalog entries specified for the following languages:
- en-CA
- Deployment type names:
- Office 2019 Pro


To change these settings, click Previous. To apply the settings, click Next.

< Previous


Next >

Summary

Cancel



Now we are ready to distribute and deploy Office 2019 application package to Office 2019 collection as detailed below:



Deploy Software Wizard



General

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify general information for this deployment

Software: Office 2019 Professional

Browse...

Collection: Office 2019

Browse...

☐ Use default distribution point groups associated to this collection

☒ Automatically distribute content for dependencies

Comments (optional):

< Previous

Next >

Summary

Cancel

Deploy Software Wizard



Content

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify the content destination

Distribution points or distribution point groups that the content has been distributed to:

Name	Type
There are no items to show in this view.	

Additional distribution points, distribution point groups, and the distribution point groups that are currently associated with collections to distribute content to:

Filter...			Add
Name	Description	Associations	Remove
CB.RAMLAN.CA	Distribution point		
Toronto	Distribution point group	0	

< Previous

Next >

Summary

Cancel

Deploy Software Wizard

Deployment Settings

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify settings to control how this software is deployed

Action:

Install

Purpose:

Available

☒ Allow end users to attempt to repair this application

☐ An administrator must approve a request for this application on the device

If you also specify an email address, anyone who receives or is forwarded the email can approve this request.

Learn more

Example: user1@contoso.com; user2@contoso.com; user3@contoso.com

< Previous

Next >

Summary

Cancel

Deploy Software Wizard

Scheduling

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify the schedule for this deployment

This application will be available as soon as possible by default. If this application should be made available at a different time, change the availability time to the desired UTC time.

Time based on:

UTC

☐ Schedule the application to be available at:

20-Jan-2019

11:45 AM

< Previous

Next >

Summary

Cancel



User Experience

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify the user experience for the installation of this software on the selected devices

Specify user experience setting for this deployment

User notifications: Display in Software Center, and only show notifications for computer restarts

When the installation deadline is reached, allow the following activities to be performed outside the maintenance window:

- ☐ Software Installation
- ☐ System restart (if required to complete the installation)

Write filter handling for Windows Embedded devices

- ☒ Commit changes at deadline or during a maintenance window (requires restarts)

If this option is not selected, content will be applied on the overlay and committed later.

< Previous

Next >

Summary

Cancel



Alerts

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify Configuration Manager and Operations Manager alert options

Configuration Manager generates alerts when this application is deployed.

Threshold for successful deployment

☐ Create a deployment alert when the threshold is lower than the following:

Percent success: 1

After: 27-Jan -2019 6:45 AM

Threshold for failed deployment

☐ Create a deployment alert when the threshold is higher than the following:

Percent failure: 0

Enable System Center Operations Manager maintenance mode if you want Operations Manager to generate alerts when this application is deployed.

- ☐ Enable System Center Operations Manager maintenance mode
- ☐ Generate System Center Operations Manager alert when a software installation fails

< Previous

Next >

Summary

Cancel



Summary

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Confirm the settings for this new deployment

Details:

General

- Software: Office 2019 Professional
- Collection: Office 2019 (Member Count: 5)
- Use default distribution point groups associated to this collection: Disabled
- Automatically distribute content for dependencies: Enabled

Deployment Settings

- Action: Install
- Purpose: Available
- Allow end users to attempt to repair this application: Enabled
- Allow clients to use a metered Internet connection to download content: Disabled

Application Settings (retrieved from application in software library)

- Application Name: Office 2019 Professional
- Application Version: 2019
- Application Deployment Types: Script Installer

Scheduling

- Time based on: UTC
- Available Time: As soon as possible
- Deadline Time: Disabled
- Delayed enforcement on deployment: Disabled

User Experience

- User notifications: Display in Software Center, and only show notifications for computer restarts
- Ignore Maintenance Windows: Disabled
- System restart (if required to complete the installation): Disabled
- Commit changes at deadline or during a maintenance window (requires restarts): Enabled

Alerts

To change these settings, click Previous. To apply the settings, click Next.

< Previous

Next >

Summary

Cancel



Completion

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion



The Deploy Software Wizard completed successfully

Details:



Success: General

- Software: Office 2019 Professional
- Collection: Office 2019 (Member Count: 5)
- Use default distribution point groups associated to this collection: Disabled
- Automatically distribute content for dependencies: Enabled



Success: Deployment Settings

- Action: Install
- Purpose: Available
- Allow end users to attempt to repair this application: Enabled
- Allow clients to use a metered Internet connection to download content: Disabled



Success: Application Settings (retrieved from application in software library)

- Application Name: Office 2019 Professional
- Application Version: 2019
- Application Deployment Types: Script Installer



Success: Scheduling

- Time based on: UTC
- Available Time: As soon as possible
- Deadline Time: Disabled
- Delayed enforcement on deployment: Disabled



Success: User Experience

- User notifications: Display in Software Center, and only show notifications for computer restarts

To exit the wizard, click Close.



< Previous

Next >

Summary

Close

The package Office 2019 Professional is now listed under applications in Software Center.



The log to open and monitor the progress is listed below.

Configuration Manager Trace Log Tool - [C:\Windows\CCM\Logs\AppEnforce.log]			
File Tools Window Help			
Log Text			
+++ Starting install enforcement for App DT "Office 2019 Pro" ApplicationDeliveryType - Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc...	Component	Date/Time	Thr
Performing detection of app deployment type Office 2019 Pro[Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727-4871-828b-e4929...	AppEnforce	20-Jan-2019 7:05:51 A	4556
+++ Application not discovered. [AppDT Id: Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727-4871-828b-e49294b848f, Revision: 1]	AppEnforce	20-Jan-2019 7:05:51 A	4556
App enforcement environment: Context: MachineCommand line: setup.exe /configure config.xmlAllow user interaction: NoUI mode: 1User token: nullSession Id: 2C...	AppEnforce	20-Jan-2019 7:05:51 A	4556
Prepared working directory: C:\WINDOWS\ccmcache\1	AppEnforce	20-Jan-2019 7:05:51 A	4556
Prepared command line: "C:\WINDOWS\ccmcache\1\setup.exe" /configure config.xml	AppEnforce	20-Jan-2019 7:05:52 A	4556
Executing Command line: "C:\WINDOWS\ccmcache\1\setup.exe" /configure config.xml with user context	AppEnforce	20-Jan-2019 7:05:52 A	4556
Working directory C:\WINDOWS\ccmcache\1	AppEnforce	20-Jan-2019 7:05:52 A	4556
Post install behavior is BasedOnExitCode	AppEnforce	20-Jan-2019 7:05:53 A	4556
Waiting for process 6780 to finish. Timeout = 120 minutes.	AppEnforce	20-Jan-2019 7:05:53 A	4556
Process 6780 terminated with exitcode: 0	AppEnforce	20-Jan-2019 7:21:45 A	4556
Looking for exit code 0 in exit codes table...	AppEnforce	20-Jan-2019 7:21:45 A	4556
Matched exit code 0 to a Success entry in exit codes table.	AppEnforce	20-Jan-2019 7:21:45 A	4556
Performing detection of app deployment type Office 2019 Pro[Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727-4871-828b-e4929...	AppEnforce	20-Jan-2019 7:21:45 A	4556
+++ Application not discovered. [AppDT Id: Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727-4871-828b-e49294b848f, Revision: 1]	AppEnforce	20-Jan-2019 7:21:45 A	4556
++++++ App enforcement completed (954 seconds) for App DT "Office 2019 Pro" [Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727...	AppEnforce	20-Jan-2019 7:21:45 A	4556
Date/Time: 20-Jan-2019 7:21:45 AM Component: AppEnforce			
Thread: 4556 (0x11CC) Source: appprovider.cpp:2437			
++++++ App enforcement completed (954 seconds) for App DT "Office 2019 Pro" [Scopeld_38252C12-674B-4940-898B-AE07E9AF1FF6/DeploymentType_9e881bdc-7727-4871-828b-e49294b848f, Revision: 1, User SID:] ++++++			

←

Info

New

Open

Save

Save As

History

Print

Share

Export


Close

Account

Feedback

Options

Account



Ram
ram@RAMLAN.CA

Sign out

Switch account

Office Background:


Office Theme:

Colorful

Connected Services:
Loading your connected services...

Add a service +








Product Information



Activation Required


Microsoft Office Professional Plus 2019

This product contains



[Change Product Key](#)


This product is unlicensed. Connect to your corporate network or contact your system administrator for further assistance.



Update Options +

Office Updates

Updates are automatically downloaded and installed.



About Word

About Word

Learn more about Word, Support, Product ID, and Copyright information.
Version 1808 (Build 10340.20017 Click-to-Run)

Administrator: KMS_VL_ALL Manual

```
Activating: Windows(R), Enterprise edition
Product Activation Successful
Remaining Period: 180 days (259200 minutes)

Activating: Office 19, Office19ProjectPro2019VL_KMS_Client_AE edition
Product Activation Successful
Remaining Period: 180 days (259200 minutes)

Activating: Office 19, Office19VisioPro2019VL_KMS_Client_AE edition
Product Activation Successful
Remaining Period: 180 days (259200 minutes)

Activating: Office 19, Office19ProPlus2019VL_KMS_Client_AE edition
Product Activation Successful
Remaining Period: 180 days (259200 minutes)

No Installed Office 2019 Product Detected...

Press any key to exit...
```

←

Info

New

Open

Save

Save As

History

Print

Share

Export


Close

Account

Feedback

Options

Account



Ram
ram@RAMLAN.CA

Sign out

Switch account

Office Background:


Circles and Stripes

Office Theme:

Colorful

Connected Services:
Add a service +








Product Information




Product Activated

Microsoft Office Professional Plus 2019

This product contains




[Change Product Key](#)



Update Options +

Office Updates

Updates are automatically downloaded and installed.



About Word

About Word

Learn more about Word, Support, Product ID, and Copyright information.
Version 1808 (Build 10340.20017 Click-to-Run)