


OFFICE 365 ProPlus PACKAGE

In this post, I will show you how to create Office 365 package and deploy it through Current Branch 1810 for workstations.

You can read more about this from here.

<https://docs.microsoft.com/en-us/deployoffice/deploy-office-365-proplus-with-system-center-configuration-manager>


I will be deploying Office 365 to Win 7 and Win 8 workstations. So, I created a device collection called O365ProPlus and added Win 7 & Win 8 workstations as member of the collection.



The screenshot shows the 'Assets and Compliance' console in System Center Configuration Manager. The breadcrumb path is 'Assets and Compliance > Overview > Devices > O365 ProPlus'. The left pane shows 'Overview' > 'Devices' > 'O365 ProPlus'. The main pane displays a table with 2 items:

Icon	Name	Client Type	Client	Primary User(s)	Currently Logged on User	Site Code	Client Activity
	WIN7	Computer	Yes		RAMLAN\exadmin	TOR	Active
	WIN8	Computer	Yes		RAMLAN\ramlan	TOR	Active

To create a package, follow these steps.



The screenshot shows the 'Office 365 Client Management' dashboard in System Center Configuration Manager. The breadcrumb path is 'Software Library > Overview > Office 365 Client Management'. The left pane shows 'Software Library' > 'Office 365 Client Management'. The main pane displays three charts and three action buttons:

- Office 365 Clients:** A gauge chart showing 1 client (orange segment) and 0 clients (grey segment).
- Office 365 Client Versions:** A pie chart showing 1 client for version 16.0.10340.20017 (blue segment).
- Office 365 Client Languages:** A bar chart showing 1 client for language en-US (blue bar).

On the right side, there are three action buttons:

- Office 365 Installer (indicated by a large orange arrow pointing down)
- Create an ADR
- (+)

Microsoft Office 365 Client Installation Wizard

Application Settings

Specify general settings for this application

Name: Office 365 ProPlus

Description: This package is for workstations Win 7 and Win 8 x64

Content Location: \\cb\Sources\Windows_Application\O365

Office 365 client installation files will be downloaded to this location if they do not already exist.
Example: \\Server\Share

< Previous Next > Summary Cancel

Microsoft Office 365 Client Installation Wizard

Office Settings

Microsoft Office 365 client settings

To configure the deployment settings for Office, click the button below to open the Office Customization Tool.

Go to the Office Customization Tool

[Read the Microsoft privacy statement online.](#)

[Read the Configuration Manager privacy statement online.](#)

< Previous Next > Summary Cancel

Configured settings

General

Provide your organization name to set the Company property on Office documents RAMLAN INC

Provide a description for this configuration for documentation purposes Office 365 ProPlus x64 M...

Products

Office 365 ProPlus ×

Excluded Applications:

OneDrive (Groove) ×

Architecture 64-bit

Languages

English (United States) --Primary Full ×

Languages

English (United States) --Primary Full ×

Installation options

Update channel Monthly Channel (Target...

Version to deploy 1812.11126.20266

Show installation to user Full

Pin icons to Taskbar On

Logging Standard

Update and upgrade options

Automatically check for updates On

Remove MSI products

Excluded Applications:

Project

Visio

Licensing and activation

Product key User Activation

Submit

Reset

Dismiss



Deployment

Application Settings

Office Settings

Deployment

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Deploy application now?

Do you want to deploy the application now?

Yes

No

< Previous

Next >

Summary

Cancel



General

Application Settings

Office Settings

Deployment

General

Content

Deployment Settings

Scheduling

User Experience

Alerts

Summary

Progress

Completion

Specify general information for this deployment

Collection:

O365 ProPlus

Browse...

Use default distribution point groups associated to this collection

Automatically distribute content for dependencies

Comments (optional):

Empty text area for comments with a vertical scrollbar on the right side.

< Previous

Next >

Summary

Cancel



Content

- Application Settings
- Office Settings
- Deployment
 - General
 - Content**
 - Deployment Settings
 - Scheduling
 - User Experience
 - Alerts
- Summary
- Progress
- Completion

Specify the content destination

Distribution points or distribution point groups that the content has been distributed to:

Name	Type
There are no items to show in this view.	

Additional distribution points, distribution point groups, and the distribution point groups that are currently associated with collections to distribute content to:

🔍

Name	Description	Associations
CB.RAMLAN.CA	Distribution point	
Toronto	Distribution point group	0

Add ▾
Remove

< Previous
Next >
Summary
Cancel



Deployment Settings

- Application Settings
- Office Settings
- Deployment
 - General
 - Content
 - Deployment Settings**
 - Scheduling
 - User Experience
 - Alerts
- Summary
- Progress
- Completion

Specify settings to control how this software is deployed

Action: ▾

Purpose: ▾

- Allow end users to attempt to repair this application
- An administrator must approve a request for this application on the device
- If you also specify an email address, anyone who receives or is forwarded the email can approve this request.

Learn more

Example: user1@contoso.com; user2@contoso.com; user3@contoso.com

< Previous
Next >
Summary
Cancel



Scheduling

- Application Settings
- Office Settings
- Deployment
- General
- Content
- Deployment Settings
- Scheduling**
- User Experience
- Alerts
- Summary
- Progress
- Completion

This application will be available as soon as possible by default. If this application should be made available at a different time, change the availability time to the desired UTC time.

Time based on:

Schedule the application to be available at:



User Experience

- Application Settings
- Office Settings
- Deployment
- General
- Content
- Deployment Settings
- Scheduling
- User Experience**
- Alerts
- Summary
- Progress
- Completion

Specify the user experience for the installation of this software on the selected devices

Specify user experience setting for this deployment

User notifications:

When the installation deadline is reached, allow the following activities to be performed outside the maintenance window:

- Software Installation
- System restart (if required to complete the installation)

Write filter handling for Windows Embedded devices

Commit changes at deadline or during a maintenance window (requires restarts)

If this option is not selected, content will be applied on the overlay and committed later.



Alerts

- Application Settings
- Office Settings
- Deployment
 - General
 - Content
 - Deployment Settings
 - Scheduling
 - User Experience
- Alerts**
- Summary
- Progress
- Completion

Specify Configuration Manager and Operations Manager alert options

Configuration Manager generates alerts when this application is deployed.

Threshold for successful deployment

Create a deployment alert when the threshold is lower than the following:

Percent success:
After:

Threshold for failed deployment

Create a deployment alert when the threshold is higher than the following:

Percent failure:

Enable System Center Operations Manager maintenance mode if you want Operations Manager to generate alerts when this application is deployed.

- Enable System Center Operations Manager maintenance mode
- Generate System Center Operations Manager alert when a software installation fails

< Previous **Next >** Summary Cancel



Summary

- Application Settings
- Office Settings
- Deployment
 - General
 - Content
 - Deployment Settings
 - Scheduling
 - User Experience
- Summary**
- Progress
- Completion

Confirm the settings

Details:

- Application Settings
 - Application name: Office 365 ProPlus
 - Administrator comments: This package is for workstations Win 7 and Win 8 x64
 - Content Location: \\cb\Sources\Windows Application\O365
- Application Settings
 - Edition: x64-Bit
 - Channel: Insiders
 - Version: 16.0.11126.20266
- General
 - Collection: O365 ProPlus
 - Use default distribution point groups associated to this collection: False
 - Automatically distribute content for dependencies: True
- Content (2):
 - CB.RAMLAN.CA
 - Toronto
- Deployment Settings
 - Action: Install
 - Purpose: Available
 - Allow clients to use a metered Internet connection to download content: False
- Scheduling
 - Time based on: UTC
 - Available Time: As soon as possible
 - Deadline Time: Disabled
 - Delayed enforcement on deployment Disabled
- User Experience

To change these settings, click Previous. To apply the settings, click Next.

< Previous **Next >** Summary Cancel

The download of Office 365 ProPlus has started.

The screenshot shows the Windows Task Manager Performance tab. On the left, the 'Ethernet' section is highlighted, showing a throughput of 11.4 Mbps. An orange arrow points to this value. The main area displays a graph for the 'Ethernet' adapter (Intel(R) Ethernet Connection I218-LM) with a throughput of 54 Mbps. The graph shows a sharp increase in activity starting around the 50-second mark. Below the graph, the 'Send' rate is 968 Kbps and the 'Receive' rate is 11.4 Mbps. Adapter details include: Adapter name: Ethernet, Connection type: Ethernet, IPv4 address: 192.168.0.3, and IPv6 address: -.

CB > OS (C:) > Sources > Windows Application > O365 >

Name	Date modified	Type	Size
office	19-Jan-2019 3:42 P...	File folder	
configuration.xml	19-Jan-2019 3:42 P...	XML Document	1 KB
setup.exe	19-Jan-2019 3:42 P...	Application	5,068 KB


The screenshot shows the 'Microsoft Office 365 Client Installation Wizard' completion screen. The title bar reads 'Microsoft Office 365 Client Installation Wizard'. The main content area displays a green checkmark and the text: 'The Microsoft Office 365 Client Installation Wizard completed successfully'. Below this, a 'Details' section lists the following information:

- Application Settings**
 - Application name: Office 365 ProPlus
 - Administrator comments: This package is for workstations Win 7 and Win 8 x64
 - Content Location: \\cb\Sources\Windows Application\O365
- Application Settings**
 - Edition: x64-Bit
 - Channel: Insiders
 - Version: 16.0.11126.20266
- General**
 - Collection: O365 ProPlus
 - Use default distribution point groups associated to this collection: False
 - Automatically distribute content for dependencies: True
- Success: Content (2):**
 - CB.RAMLAN.CA
 - Toronto
- Deployment Settings**
 - Action: Install
 - Purpose: Available
 - Allow clients to use a metered Internet connection to download content: False
- Scheduling**
 - Time based on: UTC
 - Available Time: As soon as possible
 - Deadline Time: Disabled



To exit the wizard, click Close.

Navigation buttons at the bottom include: < Previous, Next >, Summary, and Close.


The package is listed within Application group. Now it is a matter of time this will get deployed to workstations within the collection we specified before.



Logged into Win 7 machine – I can see Office 365 ProPlus is ready for install.




Software Center

 RAMLAN INC

Applications **1**

- Updates
- Operating Systems
- Installation status
- Device compliance
- Options

Applications > Application details


 Office 365 ProPlus

[Cancel](#) Installing...

Status: Downloading (18% complete)
 Date published: Not specified

Restart required: **Might be required**
 Download size: 2103 MB
 Estimated time: 30 minutes
 Total components: 1


Office ×



Installing Office

We'll be done in just a moment.


Software Center

 RAMLAN INC

Applications **1**

- Updates
- Operating Systems
- Installation status
- Device compliance
- Options


Applications > Application details

 Office 365 ProPlus



[Uninstall](#)

Status: **Installed**
 Date published: Not specified



Restart required: **Might be required**
 Download size: 2103 MB
 Estimated time: 30 minutes
 Total components: 1
 Date Modified: 19-Jan-2019



Here is the log for Office 365 install.



Now, I will have to run activation script to complete the process.



Account

User Information



Ex Admin
exadmin@RAMLAN.CA

[Sign out](#)

[Switch account](#)

Product Information



Product Activated



About
Word

About Word

Learn more about Word, Support, Product ID, and Copyright information.
Version 1812 (Build 11126.20266 Click-to-Run)
Monthly Channel (Targeted)

Office

Checking for updates



Office

Downloading Office updates...

You can keep using Office while we download in the background.



Office

Save your work before continuing

We need to close the following apps:

Microsoft Word

Continue

Cancel

Office

Applying updates...

Office is updating

A screenshot of the Office 365 account settings page. The page is dark-themed and divided into two main columns: 'User Information' and 'Product Information'.
User Information: Shows the user 'Ex Admin' with email 'exadmin@RAMLAN.CA'. It includes links for 'Sign out' and 'Switch account'. Below are dropdown menus for 'Office Background' (set to 'Clouds') and 'Office Theme' (set to 'Black'). At the bottom is an 'Add a service' button.
Product Information: Features the Office logo and 'Product Activated' status for 'Microsoft Office Professional Plus 2016'. It lists the included applications (Word, Excel, PowerPoint, Outlook, OneDrive, OneNote, Access, Publisher, Teams) and a 'Change License' button. Below are three sections: 'Office Updates' (with an 'Update Options' button), 'About Word' (with an 'About Word' button), and 'What's New' (with a 'What's New' button). A large orange arrow points from the 'Add a service' button towards the 'About Word' button.

This concludes Office 365 package.

Thanks

Ram Lan
19th Jan 2019